

SOFT BEARING BALANCING MACHINE

TURBO BALANCING MACHINE – SOFT BEARING SUSPENSIONS

- Minimum mass: 50 grams
- Maximum mass: 30 kg
- Residual Unbalance: 2 mg
- Speed: 800 – 15,000 RPM
- Type: Soft Bearing



SBS 2000 DYNAMIC BALANCING MACHINE

- Maximum mass: 300 kg
- Residual imbalance: 2 mg
- Speed: 450 – 5,000 RPM
- Type: Soft Bearing



SBS 1000 BALANCING MACHINE

- Minimum mass: 3 kg
- Maximum mass: 1000 kg
- Residual imbalance: 5 mg
- Speed: 450 – 5,000 RPM
- Type: Soft Bearing



SBS 300 BALANCING MACHINE

- Minimum mass: 7 kg
- Maximum mass: 2000 kg
- Residual imbalance: 10 mg
- Speed: 450 – 3,000 RPM
- Type: Soft Bearing



SBS 4500 DYNAMIC BALANCING MACHINE

- Minimum mass: 200 kg
- Maximum mass: 10,000 kg
- Residual imbalance: 10 mg
- Speed: 350 – 2,500 RPM
- Type: Soft Bearing




SBS 6000 DYNAMIC BALANCING MACHINE

- Minimum mass: 150 kg
- Maximum mass: 6000 kg
- Residual imbalance: 80 mg
- Speed: 350 – 3,000 RPM
- Type: Soft Bearing



SBS 10T DYNAMIC BALANCING MACHINE

- Minimum mass: 200 kg
- Maximum mass: 10,000 kg
- Residual imbalance: 120 mg
- Speed: 350 – 2,500 RPM
- Type: Soft Bearing



SBS 25T DYNAMIC BALANCING MACHINE

- Minimum mass: 400 kg
- Maximum mass: 25,000 kg
- Residual imbalance: 200 mg
- Speed: 120 – 1,800 RPM
- Type: Soft Bearing



ADVANTAGES OF BUILDING YOUR OWN BALANCING MACHINE

1. Save money.
2. Avoid high shipping costs.
3. Avoid delays due to sea shipping.
4. Adjust the length and height of your machine according to your needs.
5. Adapt the dimensions of the machine to fit with your space requirements.

Printed in Jan 2019



**RELIABLE
SOLUTION
WITH
REAL TIME
MONITORING**



LUWES
SOLUSI SPASIAL

PT LUWES SOLUSI SPASIAL
Ruko Griya Depok Asri No 36
Depok 16411, West Java
Indonesia

Phone : +6221-77828320
SMS / WA : +628111077372
marketing@luwessolusispasial.com
www.luwessolusispasial.com